

# Ohio EPA - Daily Discharge Monitoring Report - Form 4500

<b>SUBMISSION ID:</b>	493901	<b>STATUS:</b>	Original
<b>FACILITY:</b>	Dovetail Energy LLC - Anaerobic Digestion Facility	<b>PERMIT NUMBER:</b>	1IN00305*AD
<b>LOCATION:</b>	1146 Herr Rd Fairborn, OH 45324	<b>STATION CODE:</b>	581
		<b>MONITORING PERIOD :</b>	2015-04-01 To: 2015-04-30
<b>COUNTY:</b>	Greene	<b>REPORTING LAB:</b>	Masi Environmental
<b>DISTRICT:</b>	SWDO	<b>ANALYST:</b>	C. Patton
		<b>NO DISCHARGE INDICATOR:</b>	

PARAMETER	Biochemical Oxygen Demand, 5 Day	pH	Oil and Grease, Hexane Extr Method	Ammonia (NH3) In Sludge	Nitrogen Kjeldahl, Total In Sludge	Phosphorus, Total In Sludge	Potassium In Sludge
PARAMETER CODE	00310	00400	00552	00611	00627	00668	00938
UNITS	mg/l	S.U.	mg/l	mg/kg	mg/kg	mg/kg	mg/kg
FREQUENCY	1/Month	1/Month	1/Month	1/Month	1/Month	1/Month	1/Month
SAMPLING TYPE	Composite	Composite	Composite	Composite	Composite	Composite	Composite
2015-04-01							
2015-04-02							
2015-04-03							
2015-04-04							
2015-04-05							
2015-04-06							
2015-04-07							
2015-04-08							
2015-04-09							
2015-04-10							
2015-04-11							
2015-04-12							
2015-04-13							
2015-04-14							
2015-04-15							
2015-04-16							
2015-04-17							
2015-04-18							
2015-04-19							
2015-04-20							
2015-04-21	48000	7.28	9270	43100	68800	7340	11900
2015-04-22							
2015-04-23							
2015-04-24							
2015-04-25							
2015-04-26							
2015-04-27							
2015-04-28							
2015-04-29							
2015-04-30							
Minimum	48000.0	7.28	9270.0	43100.0	68800.0	7340.0	11900.0
Maximum	48000.0	7.28	9270.0	43100.0	68800.0	7340.0	11900.0
Average	48000		9270	43100	68800	7340	11900
Count	1	1	1	1	1	1	1
Name of Responsible Official or Authorized Representative	I certify under the penalty of law that I have personally examined and am familiar with the information submitted herein and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.			Signature of Responsible Official or Authorized Representative		Submission Date/Time	
Bruce Bailey						Certification Version Date 2015-05-19 16:05	

# Ohio EPA - Daily Discharge Monitoring Report - Form 4500

<b>SUBMISSION ID:</b>	493901	<b>STATUS:</b>	Original
<b>FACILITY:</b>	Dovetail Energy LLC - Anaerobic	<b>PERMIT NUMBER:</b>	1IN00305*AD
<b>LOCATION:</b>	Digestion Facility	<b>STATION CODE:</b>	581
	1146 Herr Rd	<b>MONITORING PERIOD :</b>	2015-04-01 To: 2015-04-30
	Fairborn, OH 45324	<b>REPORTING LAB:</b>	Masi Environmental
<b>COUNTY:</b>	Greene	<b>ANALYST:</b>	C. Patton
<b>DISTRICT:</b>	SWDO	<b>NO DISCHARGE INDICATOR:</b>	

PARAMETER	Arsenic, Total In Sludge	Cadmium, Total In Sludge	Copper, Total In Sludge	Lead, Total In Sludge	Nickel, Total In Sludge	Zinc, Total In Sludge	Selenium, Total In Sludge
PARAMETER CODE	01003	01028	01043	01052	01068	01093	01148
UNITS	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
FREQUENCY	1/Month	1/Month	1/Month	1/Month	1/Month	1/Month	1/Month
SAMPLING TYPE	Composite	Composite	Composite	Composite	Composite	Composite	Composite
2015-04-01							
2015-04-02							
2015-04-03							
2015-04-04							
2015-04-05							
2015-04-06							
2015-04-07							
2015-04-08							
2015-04-09							
2015-04-10							
2015-04-11							
2015-04-12							
2015-04-13							
2015-04-14							
2015-04-15							
2015-04-16							
2015-04-17							
2015-04-18							
2015-04-19							
2015-04-20							
2015-04-21	7	0.5	156	3	11	279	1
2015-04-22							
2015-04-23							
2015-04-24							
2015-04-25							
2015-04-26							
2015-04-27							
2015-04-28							
2015-04-29							
2015-04-30							
Minimum	7.0	0.5	156.0	3.0	11.0	279.0	1.0
Maximum	7.0	0.5	156.0	3.0	11.0	279.0	1.0
Average	7	0.5	156	3	11	279	1
Count	1	1	1	1	1	1	1
Name of Responsible Official or Authorized Representative	I certify under the penalty of law that I have personally examined and am familiar with the information submitted herein and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.			Signature of Responsible Official or Authorized Representative		Submission Date/Time	
Bruce Bailey						Certification Version Date 2015-05-19 16:05	

# Ohio EPA - Daily Discharge Monitoring Report - Form 4500

<b>SUBMISSION ID:</b>	493901	<b>STATUS:</b>	Original
<b>FACILITY:</b>	Dovetail Energy LLC - Anaerobic	<b>PERMIT NUMBER:</b>	1IN00305*AD
<b>LOCATION:</b>	Digestion Facility	<b>STATION CODE:</b>	581
	1146 Herr Rd	<b>MONITORING PERIOD :</b>	2015-04-01 To: 2015-04-30
	Fairborn, OH 45324	<b>REPORTING LAB:</b>	Masi Environmental
<b>COUNTY:</b>	Greene	<b>ANALYST:</b>	C. Patton
<b>DISTRICT:</b>	SWDO	<b>NO DISCHARGE INDICATOR:</b>	

PARAMETER	Fecal Coliform in Sludge	Sludge Fee Weight	Sludge Weight	Sludge Solids, Percent Total	Mercury, Total In Sludge	Molybdenum In Sludge	
PARAMETER CODE	31641	51129	70316	70318	71921	78465	
UNITS	MPN/G	dry tons	Dry Tons	%	mg/kg	mg/kg	
FREQUENCY	1/Month	1/Month	1/Month	1/Month	1/Month	1/Month	
SAMPLING TYPE	Composite	Total	Total	Composite	Composite	Composite	
2015-04-01							
2015-04-02							
2015-04-03							
2015-04-04							
2015-04-05							
2015-04-06							
2015-04-07							
2015-04-08							
2015-04-09							
2015-04-10							
2015-04-11							
2015-04-12							
2015-04-13							
2015-04-14							
2015-04-15							
2015-04-16							
2015-04-17							
2015-04-18							
2015-04-19							
2015-04-20							
2015-04-21	519	21	62	9.71	0.3	4	
2015-04-22							
2015-04-23							
2015-04-24							
2015-04-25							
2015-04-26							
2015-04-27							
2015-04-28							
2015-04-29							
2015-04-30							
Minimum	519.0	21.0	62.0	9.71	0.3	4.0	
Maximum	519.0	21.0	62.0	9.71	0.3	4.0	
Average	519	21	62	9.71	0.3	4	
Count	1	1	1	1	1	1	
<b>Name of Responsible Official or Authorized Representative</b>	I certify under the penalty of law that I have personally examined and am familiar with the information submitted herein and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.			<b>Signature of Responsible Official or Authorized Representative</b>		<b>Submission Date/Time</b>	
Bruce Bailey						<b>Certification Version Date</b>  2015-05- 19 16:05	

# Ohio EPA - Daily Discharge Monitoring Report - Form 4500

<b>SUBMISSION ID:</b>	493901	<b>STATUS:</b>	Original
<b>FACILITY:</b>	Dovetail Energy LLC - Anaerobic	<b>PERMIT NUMBER:</b>	1IN00305*AD
<b>LOCATION:</b>	Digestion Facility	<b>STATION CODE:</b>	584
	1146 Herr Rd	<b>MONITORING PERIOD :</b>	2015-04-01 To: 2015-04-30
	Fairborn, OH 45324	<b>REPORTING LAB:</b>	
<b>COUNTY:</b>	Greene	<b>ANALYST:</b>	
<b>DISTRICT:</b>	SWDO	<b>NO DISCHARGE INDICATOR:</b>	AL

PARAMETER	Biochemical Oxygen Demand, 5 Day	pH	Oil and Grease, Hexane Extr Method	Ammonia (NH3) In Sludge	Nitrogen Kjeldahl, Total In Sludge	Phosphorus, Total In Sludge	Potassium In Sludge
PARAMETER CODE	00310	00400	00552	00611	00627	00668	00938
UNITS	mg/l	S.U.	mg/l	mg/kg	mg/kg	mg/kg	mg/kg
FREQUENCY	1/Month	1/Month	1/Month	1/Month	1/Month	1/Month	1/Month
SAMPLING TYPE	Composite	Composite	Composite	Composite	Composite	Composite	Composite
2015-04-01							
2015-04-02							
2015-04-03							
2015-04-04							
2015-04-05							
2015-04-06							
2015-04-07							
2015-04-08							
2015-04-09							
2015-04-10							
2015-04-11							
2015-04-12							
2015-04-13							
2015-04-14							
2015-04-15							
2015-04-16							
2015-04-17							
2015-04-18							
2015-04-19							
2015-04-20							
2015-04-21							
2015-04-22							
2015-04-23							
2015-04-24							
2015-04-25							
2015-04-26							
2015-04-27							
2015-04-28							
2015-04-29							
2015-04-30							
Minimum							
Maximum							
Average							
Count							
Name of Responsible Official or Authorized Representative	I certify under the penalty of law that I have personally examined and am familiar with the information submitted herein and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.			Signature of Responsible Official or Authorized Representative		Submission Date/Time	
Bruce Bailey						Certification Version Date 2015-05-19 16:05	

# Ohio EPA - Daily Discharge Monitoring Report - Form 4500

<b>SUBMISSION ID:</b>	493901	<b>STATUS:</b>	Original
<b>FACILITY:</b>	Dovetail Energy LLC - Anaerobic	<b>PERMIT NUMBER:</b>	1IN00305*AD
<b>LOCATION:</b>	Digestion Facility	<b>STATION CODE:</b>	584
	1146 Herr Rd	<b>MONITORING PERIOD :</b>	2015-04-01 To: 2015-04-30
	Fairborn, OH 45324	<b>REPORTING LAB:</b>	
<b>COUNTY:</b>	Greene	<b>ANALYST:</b>	
<b>DISTRICT:</b>	SWDO	<b>NO DISCHARGE INDICATOR:</b>	AL

PARAMETER	Arsenic, Total In Sludge	Cadmium, Total In Sludge	Copper, Total In Sludge	Lead, Total In Sludge	Nickel, Total In Sludge	Zinc, Total In Sludge	Selenium, Total In Sludge
PARAMETER CODE	01003	01028	01043	01052	01068	01093	01148
UNITS	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
FREQUENCY	1/Month	1/Month	1/Month	1/Month	1/Month	1/Month	1/Month
SAMPLING TYPE	Composite	Composite	Composite	Composite	Composite	Composite	Composite
2015-04-01							
2015-04-02							
2015-04-03							
2015-04-04							
2015-04-05							
2015-04-06							
2015-04-07							
2015-04-08							
2015-04-09							
2015-04-10							
2015-04-11							
2015-04-12							
2015-04-13							
2015-04-14							
2015-04-15							
2015-04-16							
2015-04-17							
2015-04-18							
2015-04-19							
2015-04-20							
2015-04-21							
2015-04-22							
2015-04-23							
2015-04-24							
2015-04-25							
2015-04-26							
2015-04-27							
2015-04-28							
2015-04-29							
2015-04-30							
Minimum							
Maximum							
Average							
Count							
<b>Name of Responsible Official or Authorized Representative</b>	I certify under the penalty of law that I have personally examined and am familiar with the information submitted herein and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.			<b>Signature of Responsible Official or Authorized Representative</b>		<b>Submission Date/Time</b>	
Bruce Bailey						<b>Certification Version Date</b> 2015-05-19 16:05	

# Ohio EPA - Daily Discharge Monitoring Report - Form 4500

SUBMISSION ID:	493901	STATUS:	Original
FACILITY:	Dovetail Energy LLC - Anaerobic Digestion Facility	PERMIT NUMBER:	1IN00305*AD
LOCATION:	1146 Herr Rd	STATION CODE:	584
	Fairborn, OH 45324	MONITORING PERIOD :	2015-04-01 To: 2015-04-30
COUNTY:	Greene	REPORTING LAB:	
DISTRICT:	SWDO	ANALYST:	
		NO DISCHARGE INDICATOR:	AL

PARAMETER	Fecal Coliform in Sludge	Sludge Fee Weight	Sludge Weight	Mercury, Total In Sludge	Molybdenum In Sludge		
PARAMETER CODE	31641	51129	70316	71921	78465		
UNITS	MPN/G	dry tons	Dry Tons	mg/kg	mg/kg		
FREQUENCY	1/Month	1/Month	1/Month	1/Month	1/Month		
SAMPLING TYPE	Multiple Grab	Total	Total	Composite	Composite		
2015-04-01							
2015-04-02							
2015-04-03							
2015-04-04							
2015-04-05							
2015-04-06							
2015-04-07							
2015-04-08							
2015-04-09							
2015-04-10							
2015-04-11							
2015-04-12							
2015-04-13							
2015-04-14							
2015-04-15							
2015-04-16							
2015-04-17							
2015-04-18							
2015-04-19							
2015-04-20							
2015-04-21							
2015-04-22							
2015-04-23							
2015-04-24							
2015-04-25							
2015-04-26							
2015-04-27							
2015-04-28							
2015-04-29							
2015-04-30							
Minimum							
Maximum							
Average							
Count							
Name of Responsible Official or Authorized Representative	I certify under the penalty of law that I have personally examined and am familiar with the information submitted herein and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.			Signature of Responsible Official or Authorized Representative		Submission Date/Time	
Bruce Bailey						Certification Version Date 2015-05-19 16:05	

# Ohio EPA - Daily Discharge Monitoring Report - Form 4500

**FACILITY:**

Dovetail Energy LLC - Anaerobic  
Digestion Facility

**PERMIT NUMBER:**

**1IN00305\*AD**

**LOCATION:**

1146 Herr Rd

**MONITORING PERIOD :**

2015-04-01 To: 2015-04-30

Fairborn, OH 45324

## PARAMETER COMMENTS:

Station Code	Parameter Name	Parameter Code	Date	Unit	Comment
-----------------	-------------------	-------------------	------	------	---------